


VIOLENT DEATH IN NORTH CAROLINA: NEW HANOVER COUNTY INCIDENTS: 2004-2009

The North Carolina Violent Death Reporting System (NC-VDRS) is a CDC-funded state-wide surveillance system that collects detailed information on deaths that occur in North Carolina resulting from violence: homicide, suicide, unintentional firearm deaths, legal intervention, and deaths for which intent could not be determined. NC-VDRS is a multi-source system that gathers information from death certificates, medical examiner reports, and law enforcement reports. The goal of this system is to aid researchers, legislators, and community interest groups in the development of public health prevention strategies to reduce violent deaths. All deaths reported in this document are based on location of *occurrence* rather than residence and, instead of a rate, the occurrent ratio is reported. This statistic is derived from the total number of violent deaths resulting from injuries in a specified geographic region divided by the number of residents in this region. This document summarizes all fatal injuries from violence that occurred in New Hanover County for the years 2004 through 2009.

Manner of Death: New Hanover County, N.C.: NC-VDRS, 2004-2009*




- For the years 2004-2009, there were 249 violent deaths from injuries sustained in New Hanover County. Of these 249 deaths, 248 were North Carolina residents (99 %) and 227 were New Hanover County residents (91 %).

- There were 162 suicides (65 %), 68 homicides (27 %), four deaths from legal interventions (2 %) and 15 deaths of undetermined intent (6 %).


*Based on the county of injury occurrence.

- In New Hanover County, the suicide ratio was 3.2 times higher in males than females, and the homicide ratio was 3.4 times higher in males than females.
- Patterns of suicide and homicide differed by race. Suicide victims were more likely to be white than black. Whites had 18.4 suicides per 100,000 population versus 5.8 suicides per 100,000 population in blacks. The 'Other Race' category had two suicides.
- In contrast, blacks had 24.7 homicides per 100,000 population as opposed to whites who had 2.4 homicides per 100,000 population. The 'Other Race' category had one homicide.

Manner of Death by Sex: New Hanover County, N.C.:
NC-VDRS, 2004-2009*



Manner of Death by Race: New Hanover County, N.C.:
NC-VDRS, 2004-2009*




*Based on the county of injury occurrence.

†Other race refers to American Indians, Asians, etc. Rates might be unstable due to small number of deaths.

- Suicides and homicides displayed dissimilar age patterns. Homicides peaked at 16.0 homicides per 100,000 population among 20-24 year olds. Suicide (25.9 per 100,000) peaked among 45-54 year olds.
- Most homicides (69 %) and suicides (47 %) were committed using firearms.
- Suspicion of intoxication was reported in 31 percent of homicides and 33 percent of suicides.
- For homicide incidents where one or more suspects were identified, the relationship of the victim to the suspect was known (current or former spouse/boyfriend/girlfriend, family, friend or acquaintance) more frequently for female (56 %) than male (44 %) victims.


**Circumstances of Suicides: New Hanover County, N.C.:
NC-VDRS, 2004-2009***



*Based on the county of injury occurrence. Seventy-nine percent of males and 85 percent of females had circumstance information.

- Thirty-three percent of New Hanover County suicides with circumstance information were characterized as being currently depressed.
- Fifty-one percent of female victims and 31 percent of male victims were characterized as having a current mental health problem.
- Females (23 %) were more likely to have attempted suicide in the past compared to males (5 %).

**Circumstances of Homicides: New Hanover County, N.C.:
NC-VDRS, 2004-2009***



*Based on the county of injury occurrence. Eighty-three percent of males and 75 percent of females had circumstance information.

- Arguments or conflicts were more likely to be a contributing factor for male homicides (47 %) than female homicides (8 %).
- Twenty-eight percent of male homicides and 25 percent of female homicides were precipitated by another crime such as robbery, burglary or drug trafficking.
- Intimate partner violence was a contributing factor in 58 percent of female homicides, but only 7 percent of male homicides.

The North Carolina Violent Death Reporting System is supported by Cooperative Agreement 5U17/CE423098-09 from the Centers for Disease Control and Prevention (CDC).

N.C. Division of Public Health / www.publichealth.nc.gov / Injury Epidemiology & Surveillance Unit/ 919-707-5425

N.C. Violent Death Reporting System / 919-707-5432

State of North Carolina / Department of Health and Human Services / www.ncdhhs.gov

N.C. DHHS is an equal opportunity employer and provider. NC-VDRS. 2009 PROVISIONAL DATA 1/12

