Using Medication-Assisted Treatment In Jails:

A NORTH CAROLINA FOCUS

The North Carolina Department of Health and Human Services is working with state agencies and detention centers to address the unique needs of justice-involved individuals who use drugs by promoting evidence-based treatment and intervention and collaborating with community-based organizations and treatment providers. For more information, please contact justiceandpublichealth@dhhs.nc.gov.

QUICK FACTS

- Now more than ever jails play a key role in maintaining both the public safety and public health of our communities and need support in providing care. Substantial changes in jail populations have taken place nationally and in North Carolina, due to both the de-institutionalization of mental health care and to prison reform efforts that have shifted some incarcerated populations previously housed in prisons to jails. These changes have increased the number of people with a mental illness and/or substance use disorder housed in jails.
- Drug overdose is one of the leading causes of death among people recently released from correctional facilities (prisons and jails). The first two weeks post-release is the time period with the highest risk.
- Studies have shown that providing access to medication-assisted treatment (MAT) (also known as medications for opioid use disorder or MOUD) in correctional settings can reduce overdose risk, the spread of costly infectious diseases such as HIV and hepatitis C, and recidivism. For this reason, states and counties across the country are exploring providing MAT in their correctional settings.
- Three different medications are currently used to treat opioid use disorder: methadone, buprenorphine (e.g., Suboxone), and naltrexone (e.g., Vivitrol). Best practices dictate that the choice of which medication to use to treat an individual should be made with the individual by a medical practitioner.
- Multiple MAT program models exist in correctional settings in the United States. Some settings
 screen and treat individuals for opioid use disorder during the entire period of their incarceration.
 Others begin treatment as individuals are being released with the plan to connect them to
 treatment in the community. Programs also vary in the types of medications they offer.
- Recent federal court decisions in two other states (MA and ME) ruled in favor of individuals
 entering jail in recovery from an opioid use disorder who requested to be allowed to continue
 using medications while in jail (methadone and buprenorphine, respectively) as part of their
 rights under the Americans with Disabilities Act and the US Constitution.

HELPFUL RESOURCES

The National Sheriffs' Association and the Substance Abuse and Mental Health Services Administration (SAMHSA) have released helpful guides to using MAT in jails. Consult these guides to learn about:

- The differences between methadone, buprenorphine, and naltrexone
- Evidence for the effectiveness of the medications
- · Discussion of barriers to providing MAT in jails and advice to overcome them
- Examples of states, counties and cities that have implemented MAT programs
 - www.sheriffs.org/publications/Jail-Based-MAT-PPG.pdf
 - https://store.samhsa.gov/product/Use-of-Medication-Assisted-Treatment-for-Opioid-Use-Disorder-in-Criminal-Justice-Settings/PEP19-MATUSECJS

The National Council for Behavioral Health and Vital Strategies have released a planning and implementation toolkit on Medication-Assisted Treatment for Opioid Use Disorder in Jails and Prisons: www.thenationalcouncil.org/wp-content/uploads/2020/01/MAT_in_Jails_Prisons_Toolkit_Final_2020-01-30.pdf



NORTH CAROLINA CASE STUDY: Durham County Detention Center

The Durham County Detention Center has decided to implement MAT using a phased approach. Prior to this initiative, the detention center offered MAT only to pregnant women who were transported daily to an off-site clinic to receive methadone or buprenorphine. In preparation for offering MAT within the detention center, staff have begun screening inmates using a validated screening tool to get a clearer sense of the need for opioid use disorder treatment among its population. This screening is now given to all individuals during medical intake. MAT program implementation will consist of two tiers to be implemented over time:

- 1st continuing methadone, buprenorphine or naltrexone at the detention center for all people who were already using MAT in the community before arrest either by onsite waivered physician or in collaboration with local opioid treatment programs; and
- 2nd initiating treatment using buprenorphine or naltrexone at the detention center for all individuals with an opioid use disorder.

For both phases, this program will also include on-site and community-based peer support to assist with transition to post-release MAT.

LEARN MORE ABOUT MAT IN JAILS

If you would like to learn more about using MAT in jails or are interested in developing a MAT program in your area's detention center, please contact the NC Department of Health and Human Services at <u>justiceandpublichealth@dhhs.nc.gov</u>.



