



**All Other Antiepileptic and Sedative-Hypnotic Drug Poisoning ED Visits by County:
N.C. Residents, 2008-2017**

County	2008	2009	2010	2011	2012	2013	2014	2015 [†]	2016 [†]	2017 [†]
	N	N	N	N	N	N	N	N	N	N
Alamance									16	13
Alexander									4	4
Alleghany									4	4
Anson									1	1
Ashe									3	0
Avery									0	1
Beaufort									4	2
Bertie									1	0
Bladen									8	9
Brunswick									11	10
Buncombe									30	28
Burke									9	12
Cabarrus									15	17
Caldwell		No equivalent ICD-9-CM codes.							4	12
Camden									0	0
Carteret									7	6
Caswell									2	1
Catawba									24	21
Chatham									3	2
Cherokee									3	5
Chowan									2	0
Clay									0	1
Cleveland									20	22
Columbus									10	6
Craven									24	22
Cumberland									40	59
Currituck									1	1
Dare									3	2

ICD-9-CM to ICD-10-CM transition year, see notes.



**All Other Antiepileptic and Sedative-Hypnotic Drug Poisoning ED Visits by County:
N.C. Residents, 2008-2017**

County	2008	2009	2010	2011	2012	2013	2014	2015 [†]	2016 [†]	2017 [†]
	N	N	N	N	N	N	N	N	N	N
Davidson									8	6
Davie									4	6
Duplin									3	3
Durham									6	16
Edgecombe									2	2
Forsyth									30	20
Franklin									1	1
Gaston									10	5
Gates									0	1
Graham									2	1
Granville									1	4
Greene									2	0
Guilford									66	66
Halifax									4	1
Harnett									10	10
Haywood									9	12
Henderson									7	9
Hertford									3	4
Hoke									7	3
Hyde									0	0
Iredell									11	24
Jackson									6	1
Johnston									4	9
Jones									1	2
Lee									11	16
Lenoir									5	5
Lincoln									16	9
McDowell									5	13

No equivalent ICD-9-CM codes.

ICD-9-CM to ICD-10-CM transition year, see notes.



**All Other Antiepileptic and Sedative-Hypnotic Drug Poisoning ED Visits by County:
N.C. Residents, 2008-2017**

County	2008	2009	2010	2011	2012	2013	2014	2015 [†]	2016 [†]	2017 [†]
	N	N	N	N	N	N	N	N	N	N
Macon									1	6
Madison									2	1
Martin									2	3
Mecklenburg									64	63
Mitchell									2	3
Montgomery									5	4
Moore									2	11
Nash									5	5
New Hanover									27	35
Northampton									0	0
Onslow									30	20
Orange									0	11
Pamlico									1	3
Pasquotank									6	1
Pender									4	6
Perquimans									1	1
Person									5	12
Pitt									11	11
Polk									1	4
Randolph									14	10
Richmond									6	5
Robeson									32	32
Rockingham									24	14
Rowan									5	4
Rutherford									12	10
Sampson									4	3
Scotland									4	2
Stanly									4	8

No equivalent ICD-9-CM codes.

ICD-9-CM to ICD-10-CM transition year, see notes.



**All Other Antiepileptic and Sedative-Hypnotic Drug Poisoning ED Visits by County:
N.C. Residents, 2008-2017**

County	2008	2009	2010	2011	2012	2013	2014	2015 [†]	2016 [†]	2017 [†]
	N	N	N	N	N	N	N	N	N	N
Stokes									5	4
Surry									17	12
Swain									1	3
Transylvania									6	4
Tyrrell									0	0
Union									10	14
Vance									3	3
Wake									9	30
Warren									3	0
Washington									1	0
Watauga									5	5
Wayne									9	3
Wilkes									8	9
Wilson									8	8
Yadkin									3	2
Yancey									3	2
STATE									848	897

No equivalent ICD-9-CM codes.

ICD-9-CM to ICD-10-CM transition year,
see notes.

[†]In October 2015, there was a change in the coding system used in administrative data sets that impacted the definition used to identify poisoning-related injury cases. Because of this change, data are unavailable for 2015, and **data pre-2015 are not comparable to data collected after this change occurred**. Case definitions in the new coding system are still under review and are therefore subject to change. For more information on the coding transition visit:

<http://www.injuryfreenc.ncdhhs.gov/DataSurveillance/ICD-10-Transition-1pg-Summary.pdf>

ICD-10-CM codes (2016 to 2017): Dx T42.6; a 5th/6th character of 1-unintentional, 2-intentional self-harm, 3-assault, or 4-undetermined intent; a 7th character of A-initial encounter, D-subsequent encounter, or missing.

ICD-9-CM codes (2008 to 2014): No equivalent ICD-9-CM codes.

Notes: In 2016, a new data file structure was provided which included additional diagnosis code fields. It is unclear how this impacts trend data. Please interpret trends with caution.