



### Self-Inflicted Benzodiazepine Drug Poisoning Hospitalizations by County: N.C. Residents, 2008-2017

County	2008	2009	2010	2011	2012	2013	2014	2015 <sup>†</sup>	2016 <sup>†</sup>	2017 <sup>†</sup>
	N	N	N	N	N	N	N	N	N	N
Alamance									22	24
Alexander									3	9
Alleghany									0	2
Anson									3	1
Ashe									8	9
Avery									4	4
Beaufort									10	7
Bertie									5	0
Bladen									3	4
Brunswick									19	18
Buncombe									43	23
Burke									13	16
Cabarrus									11	12
Caldwell									13	18
Camden									0	0
Carteret									1	6
Caswell									0	2
Catawba									36	31
Chatham									0	0
Cherokee									3	5
Chowan									1	2
Clay									0	1
Cleveland									20	21
Columbus									13	3
Craven									24	17
Cumberland									36	36
Currituck									0	0
Dare									2	2

No equivalent ICD-9-CM codes.

ICD-9-CM to ICD-10-CM transition year, see notes.



### Self-Inflicted Benzodiazepine Drug Poisoning Hospitalizations by County: N.C. Residents, 2008-2017

County	2008	2009	2010	2011	2012	2013	2014	2015 <sup>†</sup>	2016 <sup>†</sup>	2017 <sup>†</sup>
	N	N	N	N	N	N	N	N	N	N
Davidson									17	10
Davie									6	8
Duplin									4	4
Durham									27	21
Edgecombe									6	13
Forsyth									62	63
Franklin									3	5
Gaston									62	36
Gates									0	2
Graham									1	2
Granville									2	3
Greene									1	8
Guilford									42	57
Halifax									3	7
Harnett									13	9
Haywood									12	10
Henderson									21	23
Hertford									5	2
Hoke									4	5
Hyde									0	0
Iredell									23	24
Jackson									3	5
Johnston									17	28
Jones									2	1
Lee									12	5
Lenoir									9	8
Lincoln									16	12
McDowell									3	2

No equivalent ICD-9-CM codes.

ICD-9-CM to ICD-10-CM transition year, see notes.



### Self-Inflicted Benzodiazepine Drug Poisoning Hospitalizations by County: N.C. Residents, 2008-2017

County	2008	2009	2010	2011	2012	2013	2014	2015 <sup>†</sup>	2016 <sup>†</sup>	2017 <sup>†</sup>
	N	N	N	N	N	N	N	N	N	N
Macon									2	4
Madison									2	1
Martin									2	1
Mecklenburg									75	53
Mitchell									0	0
Montgomery									4	1
Moore									18	14
Nash									11	10
New Hanover									59	48
Northampton									0	5
Onslow									26	12
Orange									15	16
Pamlico									3	3
Pasquotank									0	2
Pender									10	9
Perquimans									1	0
Person									9	7
Pitt									32	17
Polk									3	2
Randolph									12	13
Richmond									7	10
Robeson									28	19
Rockingham									15	10
Rowan									13	13
Rutherford									20	17
Sampson									4	3
Scotland									0	5
Stanly									7	3

No equivalent ICD-9-CM codes.

ICD-9-CM to ICD-10-CM transition year, see notes.



### Self-Inflicted Benzodiazepine Drug Poisoning Hospitalizations by County: N.C. Residents, 2008-2017

County	2008	2009	2010	2011	2012	2013	2014	2015 <sup>†</sup>	2016 <sup>†</sup>	2017 <sup>†</sup>
	N	N	N	N	N	N	N	N	N	N
Stokes									8	14
Surry									6	7
Swain									3	4
Transylvania									4	5
Tyrrell									0	0
Union									15	21
Vance									2	3
Wake									72	62
Warren									0	1
Washington									0	1
Watauga									2	6
Wayne									16	16
Wilkes									15	9
Wilson									17	8
Yadkin									6	7
Yancey									1	1
STATE									1,214	1,109

No equivalent ICD-9-CM codes.

ICD-9-CM to ICD-10-CM transition year,  
see notes.

<sup>†</sup>In October 2015, there was a change in the coding system used in administrative data sets that impacted the definition used to identify poisoning-related injury cases. Because of this change, data are unavailable for 2015, and **data pre-2015 are not comparable to data collected after this change occurred**. Case definitions in the new coding system are still under review and are therefore subject to change. For more information on the coding transition visit:

<http://www.injuryfreenc.ncdhhs.gov/DataSurveillance/ICD-10-Transition-1pg-Summary.pdf>

ICD-10-CM codes (2016 to 2017): Dx T42.4; a 5th/6th character of 2-intentional self-harm; a 7th character of A-initial encounter, D-subsequent encounter, or missing.

ICD-9-CM codes (2008 to 2014): No equivalent ICD-9-CM codes.

Notes: In 2014, a new data file structure was provided by the SCHS and NCHA, which included additional diagnosis code fields. It is unclear how this impacts trend data. Please interpret trends with caution.